

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 140 Alexandra, Virguna 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/646,651	01/16/2001	Stefan Kiesewetter	206579	2260
23460 7:	590 07/29/2003			
LEYDIG VOIT & MAYER, LTD TWO PRUDENTIAL PLAZA, SUITE 4900 180 NORTH STETSON AVENUE			EXAMINER	
			SCHULTZ, JAMES	
CHICAGO, IL	60601-6780		ART UNIT	PAPER NUMBER
			1635	17
			DATE MAILED: 07/29/2003	3

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Transmark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO. EXAMINER	
			ART UNIT	PAPER	
			L	17	

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Please find below a communication from the EXAMINER in charge of this application

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 C.F.R. § 1.821(a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 C.F.R. §§ 1.821-1.825 for the reason(s) set forth on the attached Notice To Comply With Requirements For Patent Applications Containing Nucleotide Sequence And/Or Amino Acid Sequence Disclosures.

The nucleotide sequences in applicants' sequence listing does not match the nucleotide sequences that are provided in the instant specification. Specifically, SEQ ID NO: 1 as provided on page 2 of the instant specification lists glutamines at positions 34 and 58, which contrasts with the SEQ ID NO: 1 of the sequence listing, which lists said positions as comprising tyrosines. Correction and/or amendment is required; in the case of amendment, applicants should clearly indicate by page and line number where written support exists in the specification for such amended material. Applicants are also informed that the above discrepancy is not intended as a complete description of all such discrepancies that may be contained in this application; applicants should carefully review the application for further errors.

APPLICANT IS GIVEN 30 days FROM THE DATE OF THIS LETTER WITHIN WHICH TO COMPLY WITH THE SEQUENCE RULES, 37 C.R.F. §§ 1.821-1.825. Failure to comply with these requirements will result in ABANDONMENT of the application under 37 C.F.R. § 1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 C.F.R. § 1.136. In no case may an applicant extend the period for response beyond the six month statutory period. Direct the response to the undersigned. Applicant is requested to return a copy of the attached Notice to Comply with the response.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner James Schultz, whose telephone number is (703) 308-9355. If the examiner cannot be reached, inquiries can be directed to Supervisory Patent Examiner John LeGuyader whose telephone number is (703) 308-0147. The fax number for the organization where this application or proceeding is assigned is (703) 308-4242.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0196.

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600